


RACCORDI PER TUBO CORRUGATO TIPO O/D E TIPO I/D

Tubo DE/OD - DI/ID



DE/OD	OD/ID
mm	mm
125	105
160	137
200	172
250	218
315	272
350	300
400	347
468	400
500	433
565	500
701	600
935	800
1200	1030

Guarnizione



€
1,32
2,61
3,21
4,27
6,74
10,30
11,57
18,27
20,72
35,53
54,67
133,26
271,01

Manicotto



€
2,78
3,95
7,16
12,57
35,07
116,73
67,22
177,63
100,82
216,05
381,35
445,15
635,10

RACCORDI STAMPATI F/F

Gomito 45°



DE/OD	€
mm	
160	29,00
200	33,00
250	51,00
315	97,00
350	230,00
400	243,00
465	-
500	290,00
565	-

Gomito 90°



DE/OD	€
mm	
160	47,00
200	58,00
250	85,00
315	137,00
350	241,00
400	324,00
465	-
500	472,00
565	-

Tee 45°



DE/OD	€
mm	
160	59,00
200	79,00
250	98,00
315	297,00
350	-
400	337,00
465	-
500	-
565	-

Tee 90°



DE/OD	€
mm	
160	55,00
200	77,00
250	83,00
315	243,00
350	297,00
400	403,00
465	-
500	461,00
565	-
700	1226,00
935	2295,00
1200	4281,00

Riduzione Maschio/Femmina in gomma



DE/OD	€
mm	
160/125	12,00
200/160	14,00
250/200	20,00
315/200	30,00

RACCORDI FORMATI M/M

PER OGNI LATO OCCORRE UN MANICOTTO PER KIT

Curva 30°



DE/OD	€
mm	
125	31,00
160	35,00
200	46,00
250	62,00
315	75,00
350	124,00
400	141,00
468	188,00
500	229,00
565	297,00
701	729,00
935	1212,00
1200	2181,00

Curva 45°



DE/OD	€
mm	
125	31,00
160	35,00
200	46,00
250	62,00
315	75,00
350	124,00
400	141,00
468	188,00
500	229,00
565	297,00
701	729,00
935	1212,00
1200	2181,00

Curva 60°



DE/OD	€
mm	
125	45,00
160	59,00
200	82,00
250	91,00
315	124,00
350	200,00
400	227,00
468	320,00
500	355,00
565	565,00
701	1363,00
935	2060,00
1200	3332,00

Curva 90°



DE/OD	€
mm	
125	45,00
160	59,00
200	82,00
250	91,00
315	124,00
350	200,00
400	227,00
468	320,00
500	355,00
565	565,00
701	1363,00
935	2060,00
1200	3332,00

TEE 90°



DE/OD	€
mm	
125	67,00
160	79,00
200	101,00
250	118,00
315	165,00
350	308,00
400	351,00
468	515,00
500	577,00
565	951,00
701	2250,00
935	4129,00

TEE 90° RIDOTTA



DE/OD	D1		€
mm	MIN	MAX	
160	125	125	109,00
200	125	160	132,00
250	125	200	165,00
315	125	250	216,00
350	125	284	466,00
400	125	315	530,00
468	125	350	824,00
500	125	400	887,00
565	125	468	1075,00
701	125	565	1572,00
935	125	701	2316,00
1200	125	1000	2975,00

TEE 45°



DE/OD	€
mm	
125	75,00
160	99,00
200	121,00
250	157,00
315	235,00


TEE 45° RIDOTTA



DE/OD	D1		€
mm	MIN	MAX	
160	125	125	174,00
200	125	160	182,00
250	125	200	227,00
315	125	250	281,00
350	125	284	479,00
400	125	315	549,00
468	125	350	877,00
500	125	400	942,00
565	125	468	1377,00
701	125	565	1624,00
935	125	701	2310,00
1200	125	1000	3699,00

RACCORDI FORMATI M/M
PER OGNI LATO OCCORRE UN MANICOTTO PER KIT

Croce°



DE/OD	€
mm	
125	94,00
160	108,00
200	122,00
250	162,00
315	230,00

Sifone Firenze 2 isp.D 110



DE/OD	€
mm	
125	323,00
160	347,00
200	428,00
250	447,00
315	558,00
350	640,00
400	705,00
468	828,00
500	905,00
565	1585,00

Ispezione lineare D 110



DE/OD	€
mm	
125	125,00
160	146,00
200	176,00
250	178,00
315	201,00
350	208,00
400	216,00
468	259,00
500	304,00

AUMENTO ECCENTRICO M/M



DE/OD			€
mm	MAX	MIN	
160	160	125	88,00
200	200	125	94,00
250	250	125	135,00
315	315	125	195,00
350	350	125	249,00
400	400	125	270,00
468	468	125	341,00
500	500	125	363,00
565	565	125	512,00
701	701	125	808,00
935	935	125	1043,00

AUMENTO ECCENTRICO F/F



DE/OD			€
mm	MAX	MIN	
160	160	125	123,00
200	200	125	137,00
250	200	125	177,00
315	284	125	263,00
350	315	125	408,00
400	350	125	427,00
468	400	125	537,00
500	468	125	563,00
565	468	125	1042,00
701	565	125	1143,00
935	701	125	1872,00

TAPPO MASCHIO



DE/OD	€
mm	
125	75,00
160	92,00
200	96,00
250	116,00
315	222,00
350	300,00
400	265,00
468	397,00
500	356,00
565	614,00
701	1033,00
935	1344,00
1200	2058,00

TAPPO FEMMINA



DE/OD	€
mm	
125	70,00
160	87,00
200	91,00
250	112,00
315	216,00
350	298,00
400	261,00
468	393,00
500	350,00
565	609,00
701	1029,00
935	1336,00
1200	2050,00